

# MOTORWASH

ACTIVE DEGREASER  
FOR ENGINE AND CHASSIS



Automotive Industry

Industry

Cleaning and Maintenance

Agriculture

Institutional

## FEATURES

Liquid of strongly alkaline chemical reaction with a blue colour. Biodegradability higher than 90%.

## PROPERTIES

MOTORWASH is a concentrate with a high content of active substances and water miscible in all proportions.

MOTORWASH is free of chlorinated solvents, chlorofluorocarbons (CFCs), benzenes and xylenes.

MOTORWASH is non-flammable and very stable in water of high hardness.

## UTILIZATION

MOTORWASH is used in auto repair shops, trucks, engineering, public works, municipalities, factories, extractive industry, etc ... washing of engines, chassis and other surfaces.

MOTORWASH allows emulsify and eliminate fats, oils, etc.. MOTORWASH can also be used to clean the floors of workshops and manufacturing areas.

## ADVANTAGES

- Miscible in water
- Free of chlorinated solvents
- Concentrate with a high content of active substances
- Non-flammable

## APPLICATION

MOTORWASH applies diluted on proportion 1 litre until 20 litres of water by immersion or spraying. In heavy dirty places with old deposits MOTORWASH can be used in immersion bath in proportion of 1 litre until 5 litres of water.



MOTORWASH application example

TECHNICAL SPECIFICATIONS	
DILUTION	1 litre to 20 litres of water
CHEMICAL NATURE	Combination based on potassium hydroxide, alkali salts, complexing additives, nonionic surfactants.
SURFACTANTS	Nonionic
PHYSICAL STATE / COLOUR	Blue liquid
ODOUR	Pleasant odour
PH	14
SOLUBILITY IN WATER	Complete
CLEANING PERFORMANCE	Very good
RINSING	No
FOAMING	No
RELATIVE DENSITY	1,178
FLASH POINT	Not concerned
CHEMICAL REACTION	Alkaline
CLASSIFICATION	Corrosive
EXPIRATION	2 years. Stored in the original packaging. Protect from excessive sunlight. Avoid extreme temperatures.



#### CAUTIONS

Chemical product: Always read the label before using. Close the packing after each use. Keep out of children reach.

In case of contact with eyes, rinse with water.

Always make a test to determine the compatibility and the appropriate contact time.

APPLICATION MODE	DILUTION
Spray / Sponge	Dilute 1 to 2 litres of product to 20 litres of water
By immersion bath	Dilute 1 litre of product to 3 - 5 parts of water
Frequent cleaning	Dilute 1 litre of product to 50-100 parts of water



#### PORTUGAL

Imporquímica- Indústria Portuguesa de Produção Química, S.A.  
Zona Industrial Alto do Carvalhinho, Lote 11 - Apartado 39  
2861-909 Moita - Portugal  
Tel: +351 212 808 390 | Fax: +351 212 808 395  
E-mail: info@imporquimica.pt

#### ANGOLA

Imporquímica Angola, SA.  
Estrada do Zango/Viana Polo Industrial Tubogás  
Armazéns 35 e 36 - Município de Viana, Luanda Angola  
Tel.: +244 222 290 850 | Fax: +244 222 290 230  
E-mail: angola@imporquimica.com

#### CAPE VERDE

Imporquímica Cabo Verde, Lda.  
Armazém Achada Grande de Trás  
Ilha de Santiago, Praia - Cabo Verde  
Tel.: +238 939 07 48  
E-mail: caboverde@imporquimica.com

#### MOZAMBIQUE

Imporquímica Moçambique, Lda.  
Avenida Zedequias Manganhela, n.º 267, Prédio JAT IV  
4º andar, Maputo - Moçambique  
Tel.: +258 845 797 467  
E-mail: mocambique@imporquimica.com

#### NIGERIA

Imporquímica Nigeria Chemicals, Ltd.  
Plot 59 Trans Amadi Industrial Layout,  
Port Harcourt, Rivers State, Nigeria  
Tel: +234 (0) 84 556 004  
E-mail: info@nigeria-chemicals.com



visit us  
[IMPORQUIMICA.COM](http://IMPORQUIMICA.COM)

MOTORWASH