DOW – Monoethanolamine (MEA)



1. IDENTIFICAÇÃO

MEA, MEA Low Freezing Grade (LFG), and MEA Iron & Chloride-Free Grade (ICF).


CHEMICAL NAME: 2-aminoethanol, ethanolamine

CHEMICAL FORMULA: HOC2H4NH2

MOLECULAR WEIGHT: 61,08

CAS No.: 141-43-5

Product Description



Because MEA combines the properties of amines and alcohols, MEA exhibits the unique capability of undergoing reactions common to both groups. As an amine, MEA is mildly alkaline and react with acids to form salts or soaps. As an alcohol, MEA is hygroscopic and can be esterfied.

DOW Monoethanolamine is available as MEA, MEA LFG and MEA ICF.

MEA Low Freezing Grade (LFG) is a variation of MEA commercial grade for easier handling in colder ambient temperatures (freezing point: $-13^{\circ}\text{C/8.6}^{\circ}\text{F}$). It is an 85% solution of MEA with 15% water.

MEA Iron & Chloride-free Grade (ICF) is iron and chloride free and contains \leq 1ppm chloride, \leq 0.5% pm iron.

2. FEATURES AND BENEFITS

Typical Physical Properties (1)

Apparent Sp. Gr. at 25/4°C	1.0113
Δ Sp. Gr/ Δt (10°C to 80°C)	0.00080
Boiling Point at 760 mm Hg, ^Q C (^Q F)	171 (340)
At 59 mmHg, ºC	101
At 10 mmHg, ºC	71
Vapour Pressure at 20°C, mmHg	<1
Freezing Point, °C (°F)	10 (50)
Absolute Viscosity at 20°C, cP	24.1
At 30°C, cP	16.2
Solubility at 20°C, % by wt	
In Water	Complete
Water In	Complete

www.capeverde-chemicals.com info@capeverde-chemicals.com

Armazém Achada Grande de Trás Ilha de Santiago - Praia Phone: +228 939 07 48

DOW - Monoethanolamine (MEA)



Solubility in Organic Liquids at 25°C, % by wt	
Acetone	Complete
Benzene	0.6
 Carbon Tetrachloride 	0.1
Ethyl Ether	0.7
Heptane	0.1
Methanol	Complete
 Methanol Surface Tension at 25°C, dynes/cm 	Complete 48.3
	·
Surface Tension at 25°C, dynes/cm	48.3
Surface Tension at 25°C, dynes/cm Refractive Index, nD20	48.3 1.4539



(1) Data represent typical physical properties only and should not be construed as product specifications.

Benefits

Detergents:

MEA imparts a reserve alkalinity to the laundry bath, which is essential to efficient cleaning.

MEA is an effective oil and anti-redeposition agent.

Personal Care:

Fatty acids neutralized with MEA are used as emulsifiers for oil-in water emulsions such as geltype industrial hand cleaners, aerosol shave creams, and hand and body lotions

Textile Finishing:

MEA is used as reaction intermediates for the preparation of durable press fabric finishes and softeners.

When reacted to form amine soaps, useful as scouring agents for wool and silk because of its low alkalinity.

Because it is hygroscopic, MEA is used in the preparation of vat printing pastes.

Wood Treating:

MEA is used in both alkaline copper quaternary (ACQ) and copper azole formulations for treating wood to improve its resistance to pests and decay. Both are arsenic-free alternatives to the phased-out CCA formulations.

DOW – Monoethanolamine (MEA)



3. PRODUCT STEWARDSHIP

Dow encourages its customers and potential users to review their applications from the standpoint of human health and environmental aspects. To help ensure that Dow products are not used in ways for which they are not intended or tested, Dow personnel will assist customers in dealing with environmental and product safety considerations. Dow literature, including Material Safety Data Sheets, should be consulted by customers and potential users prior to use.



Distributor in Cape Verde: Imporquímica Cabo Verde - Importação, Comercialização e Produção de Produtos Químicos, Lda